


ALLIED
SAFE & VAULT
www.alliedsafe.com

Get Safe Deposit Boxes With the Aluminum Advantage



Specifications and Features


Front frame and doors

- Rugged cast aluminum alloy.
- 1/2-inch thick doors.
- When doors are closed, a heavy deadbolt is recessed into hinge side jamb, making it secure against attack.
- Positive interlock and bolt strike are an integral part of the casting.
- Doors and frames are finished in gray hammertone.



Locks and keys

- Underwriter Laboratory listed.
- Dual brass noses.
- Keys are distinctive for ease of identification and can be numbered directly or tagged.



Number plates

- Number plates are mounted flush into the cast aluminum doors.
- Standard number plates are white on black.



Casings and bond boxes

- Casings are cold rolled steel with a bonderized, baked enamel gray finish.
- Casings are designed to provide optimum versatility in vault planning.
- Bond boxes are cold rolled steel with a hinged top for easy accessibility.
- A baked enamel finish ensures years of service.



Casing: Bonderized, rust resistant, cold rolled steel, enamel finish.

Doors: Rugged cast aluminum with positive interlock feature.

Bond Boxes: Durable steel construction— single lid.

Locks: U.L. listed with dual brass noses.

Standard Sections: 16" high x 32-5/8" wide x 24" deep.
Also 16" high x 10-7/8" wide x 24" deep.

Number Plates: Black plastic with white engraved numbers.

Bases: 3" high. Finish is gray enamel.

Our Cast Aluminum Safe Deposit Boxes Offer You:

Affordable quality. These safe deposit boxes feature aluminum alloy construction, which gives you dependable security at a reasonable cost.

Rugged construction, attractive appearance. The doors are a full half-inch thick cast alloy. Locks are U.L. listed with dual brass noses. Doors and frames are beautifully finished in gray hammertone.

Lower maintenance costs. Special-finish aluminum alloy boxes are rust resistant and easy to keep clean. Fingerprints and smudges wipe right off.

Lower shipping and installation costs. These alloy boxes weigh approximately half as much as polished steel boxes. And they're quickly installed by your local Hamilton Safe professional.



Safe Deposit Boxes

All sections are 16" high x 32-5/8" wide (or 10-7/8" wide) x 24" deep, providing cost-efficient flexibility in maximizing usage of your valuable vault space. Reinforced cold rolled steel casings include interlocking features to ensure perfect alignment and stacking.

32 5/8" Wide Sections 16" High x 24" Deep



SC-AA 42/25
42—2" x 5" openings




SC-AA 15/310
15—3" x 10" openings



SC-AA 30/35
30—3" x 5" openings




SC-AA 9/510
9—5" x 10" openings



SC-AA 18/55
18—5" x 5" openings



SC-AA 6/51010
3—5" x 10" openings
3—10" x 10" openings



SC-AA Base
3-1/2" High x 32-5/8" Wide x 24" Deep

10 7/8" Wide Sections 16" High x 24" Deep



SC-AB 14/25
14—2" x 5" openings



SC-AB 5/310
5—3" x 10" openings



SC-AB 10/35
10—3" x 5" openings



SC-AB 3/510
3—5" x 10" openings



SC-AB 6/55
6—5" x 5" openings



SC-AB 2/51010
1—5" x 10" opening
1—10" x 10" opening



SC-AB Base
3-1/2" High x 10-7/8" Wide x 24" Deep

HAMILTON SAFE

3143 Production Drive
Fairfield, OH 45014
Telephone: 513/874-3733 FAX: 513/874-3967

"...Because someone has to lead."

